

T3.26 TURBO NOZZLES



V-TUF T3.26 turbo nozzle creates a straight pencil jet which is spun to create a conical shaped water jet. This makes the turbo nozzle extremely useful and efficient when it is used for cleaning surfaces.

The nozzle combines the power and force of a 0-degree nozzle and increasing its spray area to that of a 20-degree nozzle. V-TUF T3.26 TURBO nozzles feature a brass chamber which contains a nozzle with a ceramic tip. The water enters the chamber at an angle which spins the internal nozzle extremely fast. The directional water jet created by the turbo nozzle ensures stubborn deposits can be removed more easily and quickly than with other nozzles.

The turbo nozzle is a great choice for pressure washing paving, concrete, or brick surfaces.

- Max Pressure: 280 bar / 28 Mpa / 4120 psi
- Flow Rate: See chart below to select your turbo
- Max Water Temperature: 100°C / 195 °F
- Inlet port on basic unit 1/4 BSP female (internal thread) – adapters are available

Please note:

- Always wear eye protection and tough footwear when operating.
- NEVER direct the jet on yourself, animals, or other humans. The V-TUF T3.26 Turbo nozzle can damage signs or trimmings on vehicles if directed too close.

Nozzle performance chart (1 IMP. GAL. = 4.546 litres, 1bar = 14.5 PSI)

Nozzle Size	Hole Diam	Pressure in bar																		
		30	40	50	60	70	80	90	100	110	120	130	140	150	160	175	200	225	250	300
02	1.00	2.5	2.8	3.2	3.5	3.7	4.0	4.2	4.5	4.7	4.8	5.0	5.3	5.4	5.6	5.9	6.3	6.7	7.0	7.7
025	1.10	3.1	3.5	4.0	4.3	4.7	5.0	5.3	5.6	5.9	6.1	6.4	6.6	6.9	7.1	7.5	8.0	8.5	9.0	9.9
03	1.18	3.7	4.3	4.8	5.3	5.7	6.1	6.3	6.8	7.1	7.4	7.7	8.0	8.3	8.6	9.0	9.6	10.2	10.7	11.8/
035	1.30	4.2	4.9	5.5	6.0	6.5	7.0	7.4	7.8	8.2	8.6	8.9	9.2	9.5	9.8	10.3	11.0	11.7	12.3	13.8
04	1.35	5.2	5.9	6.6	7.3	7.8	8.4	8.9	9.4	9.8	10.3	10.7	11.1	11.5	11.9	12.4	13.3	14.1	14.8	16.3
045	1.40	5.5	6.4	7.1	7.8	8.4	9.0	9.6	10.2	10.5	10.9	11.4	11.8	12.2	12.6	13.2	14.1	15.0	15.8	17.4
05	1.55	6.2	7.1	8.0	8.7	9.4	10.0	10.7	11.3	11.8	12.4	12.9	13.4	13.8	14.3	14.9	16.0	16.9	17.9	19.7
055	1.60	6.8	7.8	8.7	9.6	10.3	11.1	11.8	12.4	13.0	13.6	14.1	14.7	15.2	15.7	16.4	17.5	18.6	19.6	21.7
06	1.72	7.4	8.6	9.6	10.4	11.3	12.1	12.8	13.6	14.3	14.9	15.5	16.0	16.7	17.2	18.0	19.2	20.4	21.5	23.7
065	1.75	8.0	9.3	10.4	11.3	12.3	13.2	14.0	14.7	15.4	16.1	16.8	17.4	18.0	18.6	19.4	20.8	22.0	23.2	25.6
07	1.80	8.6	10.0	11.2	12.2	13.2	14.1	15.0	15.8	16.6	17.3	18.0	18.7	19.3	20.0	20.9	22.3	23.7	25.0	27.1
075	1.90	9.3	10.7	12.0	13.1	14.2	15.2	16.1	16.9	17.7	18.5	19.3	20.0	20.7	21.4	22.4	23.9	25.3	26.7	29.4
08	2.05	9.8	11.3	12.7	14.0	15.1	16.1	17.1	18.0	18.9	19.7	20.5	21.3	22.0	22.8	23.8	25.5	27.0	28.5	31.4